

### Dickson Medical & Travel Clinic

151 Cowper St Dickson 2602 Ph 6257 3853

Fax 6247 1022



### **FREE TO TAKE HOME!**



Nocturnal Enuresis



Restless Leas Syndrome



Men Reaching Out



∟ Hay Fever

YOUR NEXT APPOINTMENT:

### ENJOY THIS FREE NEWSLETTER

Please remember that decisions about medical care should be made in consultation with your health care provider so discuss with your doctor before acting on any of the information.

www.healthnews.net.au

## AUGUST-SEPTEMBER 2016 EDITION

#### PRACTICE DOCTORS

### Dr Les Buczynski

Speaks Polish.

Special interest in Travel Medicine.

### **Dr Alan Shroot**

Travel Medicine, Hypnosis.

### **Dr Dianne Hannaford**

MBBS, Dip RACOG

### Dr Zdenka Grundel

MD, FRACGP

### Dr Hyams-Elijah

MD, FRACGP

Monday - Thursday 830am - 5.00pm

### PRACTICE STAFF

Practice Manager: Graeme Office Manager: Caroline Practice Nurses: Rebecca &

Margaret

**Accounts:** Bernadette

Reception Staff: Alayne, Ana, Kate

& Helen

### SURGERY HOURS

Monday – Friday ... 8.00am – 6.00pm Saturday/Sunday ...... Not open Home Visits. This practice provides home visits to patients known to the practice, as well as nursing home care.

### AFTER HOURS & EMERGENCY

When the surgery is closed, please ring **1300 422 567** and our after hours Locum Service will assist you.

### BILLING ARRANGEMENTS

Fees are payable at the time of consultation, including work related visits

Dickson Medical & Travel Clinic is a private billing practice.

Discounted fees are at the individual doctors discretion.

### APPOINTMENTS

Consultations are by appointment only. This surgery operates on a 15 minute appointment system.

If you require a longer appointment, please notify reception staff when making the booking.

### OTHER SERVICES OFFERED

**Repeat Scripts.** You need to make an appointment for Repeat Scripts. Fees apply.

**Communication Policy.** In non-urgent cases, the doctor will return your call. Interruptions from constant phone calls can be very distressing for the patients being seen. We don't communicate by email.

**Privacy Policy. The practice takes the privacy of your personal health information very seriously.** If you have any questions please ask at reception for a copy of the practice privacy policy.

**Results and Investigations.** Please phone the practice between 12.30 and 1pm for results of routine investigations. Your doctor will contact you when there is an abnormal result to discuss.

### SPECIAL PRACTICE NOTES

Welcome to the spring edition of Health News, isn't great to have the nice warm sunny Canberra days back again? After a wet winter it's great to see everything in full bloom and the countryside so green.

It has been a very busy period for the practice not only with some pretty intense viruses spreading in the local community but us starting our reaccreditation process and a busy time for travellers heading to exotic international destinations.

We are told that the emergency departments, our after-hours service and day time practice are seeing record numbers of patients. Historically, August and September that are the busiest months so hopefully things settle down as we head further into spring. Some of our doctors are accepting new patients for a limited time.

Please note any provision of scripts outside of an appointment is the exception not the norm. Please ensure you check when you will run out of medication and make an appointment with your doctor to get medication reviewed and a repeat script if necessary.

Our end of year and Christmas opening hours have been confirmed. As usual we will close for the Christmas break from Thursday the 23rd December and reopen on Monday the 2nd of January. During this period cover is provided for the practice by CALMS 24/7. CALMS is our afterhours service that deputises for all our doctors here at Dickson and is available on 1300 422 567 from 6pm weekdays and all day weekends and public holidays should you require urgent care that cannot wait till the next day.

As many of you will be aware the ACT Government has now approved the proposed development for the Woolworths car park and as I understand things may finally get underway soon. In many ways this will be a relief rather than just delaying the inevitable. We will have more pressure on parking during this period but will do our utmost to help with access.

The Travel Clinic continues to expand as one of a few dedicated travel vaccination clinics in Canberra and our reputation for providing the latest up to date information on vaccine requirements for travel throughout the world continues to grow. So if you or one of your friends is travelling overseas make an appointment with one of our travel doctors.

We value your feedback, should you have any queries or complaints please do not hesitate to speak with one of our staff or ask for the practice manager. Otherwise the Health Complaints Commission can be contacted on 6205 2222.

Thanks again,

Graeme Sellar, Practice Manager.

Please see the Rear Cover for more practice information.

## **Fibroids** of the uterus

Fibroids are non-cancerous growths of the muscle of the wall of the uterus, the same muscle that contracts to 'squeeze' the baby out during childbirth. Fibroids are usually multiple, anything up to the size of a grapefruit. Although the reason they occur is poorly understood, fibroids are relatively common—about 50% of women over 30 have them. But only half of these women will show symptoms from them, such as menstrual problems, pressure on the bladder or bowel and abdominal pain.

Menopause, with its reduction in female hormones, usually causes fibroids to shrink. Fibroids do not turn into cancers.

Fibroids in women of childbearing age can cause problems with infertility. They can distort the cavity of the fallopian tubes or uterus and interfere with sperm transport or embryo implantation, as well as predispose to miscarriage, premature labour and excessive bleeding after birth.


Treatment of fibroids is unnecessary where there are no symptoms but regular checkups track their growth – usually physical examination and ultrasound scan.

Symptoms from uterine fibroids are the most common reason for hysterectomy in women aged under 50.

An operation that avoids hysterectomy (e.g. in women who want more children), is to remove individual fibroid(s) from the uterus (called myomectomy).

For women close to the menopause, drug treatment can be prescribed to bring on an early menopause and shrink fibroids – but drug side effects are best discussed with your doctor.

A procedure called fibroid embolisation is available to shrink fibroids. This procedure is



suitable for some women who do not wish to have children or a hysterectomy. It involves cutting off the blood supply to fibroids to cause them to shrink by 60-80% over the next two months. It is done by passing a very fine tube (or catheter) via the artery in the groin into the main artery of the uterus. Here, fine synthetic particles about the size of sand are injected where they travel to the fibroids to block their blood supply. There is some pain (like period cramps) after the procedure.



Weblink www.britishfibroidtrust.org.uk/embolisation.php

## Nocturnal **Enuresis**

Some 10% of 10-year-old children are not fully dry at night. This is not common knowledge because it is not discussed. In some cases it is a structural problem with the bladder or kidneys but generally it is because the child is not waking up when the bladder is full. It is not laziness.

Most children will get bladder control during the day between the ages of two and three and at night by age five. There is no 'correct' age to act; if nature has not sorted itself by age of seven it is more likely help will be needed.

Talk to your GP about the problem, who has heard it lots of times. There is no need for your child to be embarrassed or lack self-esteem – it may be important in the family to gently focus instead on sleep disruption, laundry workload

Diagnosis is on history. A general examination may be done and also a urine test ordered. Simple first-up measures are restricting fluids after six o'clock and emptying the bladder before bed.



Star charts can help depending on the child but take care they don't cause stress, which can worsen the problem.

Night alarms, which trigger as soon as the sheets get wet, wake the child thus reinforcing the connection between waking and the need to pass urine. These can be hired through chemists or at continence centres.

Medications to reduce urine production or strengthen the bladder sphincter can also be used but are rarely needed.

Weblink www.continence.org.au/pages/bedwetting.html

## **Questions** for the Other Person

- What brings on sinus infections in people with allergy?
- Men more often complain of physical symptoms of depression true or false?
- What is 'fibroid embolisation'?
- About what age is it worth seeking assistance with bedwetting?

## Restless Legs Syndrome

As many as one in 10 people may have trouble getting to sleep because of restless legs syndrome (RLS). This condition causes unpleasant sensations in the legs, often described as 'tingling', 'creeping' or 'pulling'.

Although RLS can happen any time, it occurs most often when trying to get off to sleep, and is more common in women and older people. One in four pregnant women get RLS during their third trimester.

The unpleasant sensations are relieved by movement so, not surprisingly, people with RLS move their legs around a lot,



often to the annoyance of the person sharing their bed!

There is no known cause, although we see RLS more often in some medical conditions, including iron deficiency anaemia, kidney disease, diabetes and arthritis. Certain drugs can increase leg restlessness in some people.

The first step in managing RLS is to correct any problems that may be making it worse.

Iron supplements help some people, and your doctor might review your medications.

Reducing caffeine, nicotine and alcohol may help. Some people respond to stretching exercises after regular exercise, or to relieving stress. Some medications may help – ask your doctor.



Men who find themselves without a partner, friends or parents in middle-age often lack the social support to help them cope. This means the impact on their physical and mental health can be big.

BeyondBlue research has linked social isolation and loneliness to high blood pressure, heart disease, stroke and depression – the risk to life can be up to five times higher from these things.

We know that social networks are vital to protect against depression – so men with lower social supports are more vulnerable to psychological distress.

BeyondBlue's Dr Stephen Carbone said while socially isolated men can get by, they do better in the long run with some friends in their life because humans are social creatures and they do better together.

However, men can be their own worst enemies. They might crave greater openness with friends to talk about personal problems but many admit they lack the skills to start these conversations, or don't know how to respond when a friend opens up to them.

Some believe men should be silent, resilient, unemotional and self-reliant. If they follow this lead, it makes it harder for them to engage with others, especially other men. For whatever reason, they may stop making the effort, when in truth, social networks need to be nurtured and kept active.





## **Hay Fever**

Springtime is when grass and tree pollens, along with mould spores, can flood the air we breathe and cause allergy symptoms for some allergic people.

The classic "hay fever" is a springtime runny nose, sneezing and itchy watery eyes, all worse outdoors and especially on windy days. (People with symptoms all year round may be allergic to non-seasonal things like household pets or dust mite.)

This combination of nose, eye and perhaps sinus symptoms is because the body is overreacting due to allergy. Allergic antibody (IgE) binds to allergen (e.g. pollen), which starts a reaction that releases hormones into the lining of the nose and eyes (e.g. histamine).

Chronic allergic reactions cause eventual swelling of the mucous membranes – the end result is excess mucus, a blocked nose, sinus congestion and sometimes an itchy throat. Chronic sinus congestion can bring on infections.

Treatments are many, most available over the counter from the pharmacy. Many focus on blocking the effects of histamine or stoppings its release (e.g. antihistamines). Nose sprays or eye drops may contain mild cortisone. Some need a prescription.

There are ways of being tested for allergies and in some instances being 'desensitised' to what you are allergic to. If symptoms are mild there is nothing wrong with using a tissue and riding it out until the season passes.

Talk to your doctor about what is best for you. ■

### **ZUCCHINI PIZZA BASE**


### Ingredients

- 4-6 zucchini, grated (4 cups in total)
- 1 tsp Sea salt
- 1/3 cup parmesan cheese, grated
- 1/4 cup chickpea flour
- 1/3 cup goat cheese, grated
- 1 clove garlic, minced
- 1 tsp dried oregano
- 1 tsp dried basil
- 1 egg, lightly beaten
- Olive oil for greasing
- Preferred pizza toppings
- 1. Preheat fan-forced oven to 230C. Put pizza stone in the oven.
- In a large bowl, toss the shredded zucchini with the salt and set aside for 10-15 minutes.
- Squeeze the excess moisture out of the zucchini by wrapping it up in a clean kitchen towel or cheesecloth. Discard the liquid.
- Place the zucchini into a bowl and add the parmesan, flour, goat cheese, garlic, oregano, basil, and egg and mix well.
- 5. Put the zucchini mixture on a piece of baking paper on a tray. Spread the



- zucchini mixture to form a circle about 1/3 inch thick. Form the edges up so that it forms an outer 'crust'.
- 6. Transfer to the heated pizza stone in the oven. Bake for 8-10 minutes or until the crust starts to brown.
- 7. Top the pizza with a tomato-based sauce and your preference of toppings. Transfer the pizza back onto the heated pizza stone and bake in the oven for an additional 4 minutes until topping and cheese bubbles.

## **CROSSWORD**



### Laughter - the Best Medicine!

- There are two types of guests: those who want to stay longer, and those who want to go home asap. Strangely enough, both types are normally found in married couples.
- The organisers complain to the concert choir master:

"What happened to the mixed choir, there are only men here?"

"But it is a mixed choir" he replied, "half can sing, and the other half can't".



#### Across

- 1 Intoxicating drink (7)
- 4 Fibrous tissue uterus (7)
- 5 Pumps blood around the body (5)
- 6 Fights infection, an \_\_\_\_ (8)
- 7 Mucosal-lined skull cavity (5)
- 12 Excreted by the kidneys
- 14 Constantly moving (8)
- 16 Bed-wetting medical term (8)
- 17 What you breathe through (4)
- 18 Stand on your own
  \_\_\_(4)

### Down

- 2 \_\_\_ illness lingers (7)
- 3 Womb (6)
- 5 Means sneezing around pollens(3,5)
- 7 Confidence in yourself (4-6)
- 8 A person involved with someone else (7)
- 9 Produced by grasses in Spring (7)
- 10 Used to see (4)
- 11 Filter waste products from the blood (6)
- 13 Spores can come from \_\_\_\_(5)
- 15 Everyone needs enough \_\_\_ (5)

# Dickson Medical & Travel Clinic

### PRACTICE DOCTORS

### Dr Les Buczynski

Speaks Polish.

Special interest in Travel Medicine.

#### Dr Alan Shroot

Travel Medicine, Hypnosis.

### **Dr Dianne Hannaford**

MBBS, Dip RACOG

### Dr Zdenka Grundel

MD FRACGE

### Dr Hyams-Elijah

MD, FRACGP

Monday - Thursday 830am - 5.00pm

### SURGERY HOURS

Monday – Friday .. 8.00am – 6.00pm Saturday/Sunday ......Not open

### AFTER HOURS & EMERGENCY

When the surgery is closed, please ring **1300 422 567** and our after hours Locum Service will assist you.

### OTHER SERVICES OFFERED

- Audiometry (Hearing tests)
- Antenatal Care
- Check-ups
- Dermatoscopy (skin checks)
- Pap Smears
- Family Planning
- Counselling
- Hypnotherapy
- Medicals
- Weight Control/Nutrition Advice
- Vaccinations
- Spirometry (Lung function)
- ECG (Heart test)
- Childhood Immunisation
- Stop Smoking Program
- Liquid Nitrogen (freezing therapy for sun spots/warts)
- Minor Surgery stitching cuts, removing moles & skin cancers

